

2015



One-stop-shop for all Safety Equipments

LOCATION and CONTACT




Showroom



Warehouse



Exhibitions



Showroom Address

Behind Nasser Square, Al Burj Street.
Opp Rafae Hotel, Tawakall Building-Shop No 12.
Tel - +971 4 2243320 Fax - +971 4 2243307
Deira, Dubai, United Arab Emirates
GPS Cordinates: 25°16'12.7"N 55°18'19.1"E
15 Al Burj Street - Dubai (SMB Trading LLC)

Warehouse Address

Sheikh Zayed Road, 3rd Interchange.
Al qouz Industrial Area,
Near Juma Al Majid W / house
Tel - +971 4 3393989

Postal Address

SMB TRADING L.L.C.
P.O.Box - 103987, Duba, U.A.E.

www.smbtrd.com

Email: alanwarj@eim.ae

SAFETY SHOES > Split Leather S1P

WORKMAN SHORT SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density
PU. Insole: Removable Eva steel
toe and steel mid sole plate, anti
static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.090 m³
13 kg



SAFETY SHOES > Split Leather S1P

DUNES SHORT SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density
PU. Insole: Removable Eva steel
toe and steel mid sole plate, anti
static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.11 m³
13 kg



WORKMAN LONG SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density
PU. Insole: Removable Eva steel
toe and steel mid sole plate anti
static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.089 m³
13 kg



DUNES LONG SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density
PU. Insole: Removable Eva steel
toe and steel mid sole plate, anti
static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.098 m³
13 kg



SAFETY SHOES > Split Leather S1P

WORKMAN ROCK SHORT SHOES

39-46

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.099 m³
12 kg



WORKMAN ROCK LONG SHOES

39-46

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.086 m³
11 kg



SAFETY SHOES > Split Leather S1P

STRONG ARM SHORT SHOES

39-46

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.083 m³
13 kg



STRONG ARM LONG SHOES

39-46

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.083 m³
13 kg



SAFETY SHOES > Split Leather S1P

DELTA PLUS BRISTOL S3

39-46
S3

Upper: Waterproof split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black. Fibre glass toe and cavlan lining.

Made in India

CE EN 20345

5 pcs
0.049 m³
8.7 kg



TALAN RIGGER BOOTS

39-46
S1P

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant. Special design for welders.

Made in Ukraine

CE EN 20345

7 pairs
0.108 m³
18 kg



SAFETY SHOES > Split Leather S1P

TALAN LOW SHOES

39-46
S1P

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in Ukraine

CE EN 20345

10 pairs
0.108 m³
18 kg



TALAN HIGH SHOES

39-46
S1P

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in Ukraine

CE EN 20345

10 pairs
0.108 m³
18 kg



SAFETY SHOES > Split Leather

WORKMAN CLASSIC SHORT SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density PU.
Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 20345

10 pcs
0.081 m³
15 kg



WORKMAN CLASSIC LONG SHOES

39-46
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density PU.
Insole: Removable Eva steel toe and steel mid sole plate anti static, anti slip, oil resistant.

Made in China

CE EN 20345

10 pcs
0.088 m³
15 kg



SAFETY SHOES > Split Leather

PANOPLY PROTON SHOES

39-47
S1P

Upper: Pigmented split leather.
Outsole: Injected, dual density PU.
Lining: Polyamide mesh.
Footbed: Removable preformed polyamide on EVA.

Made in India

CE EN ISO 20344:2011+20345

5 pcs
0.057 m³
8.2 kg



DELTA PLUS SAULT S3 SHOES

39-46
S1P; S3

Upper: Waterproof pigmented split leather. Lining: Polyamide absorbing.
Outsole: Injected, dual density PU.
Black.

Made in India

CE EN 20345

5 pcs
0.058 m³
9.5 kg



SAFETY SHOES > Split Leather

DELTA PLUS JUMPER S1P SHOES

39-46

S1P

Upper: Pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU.

Black.

Made in India

CE EN 20345

10 pcs
0.113 m³
16 kg



DELTA PLUS JUMPER S3 SHOES

39-46

S3

Upper: Waterproof pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU.

Black.

Made in India

CE EN 20345

10 pcs
0.113 m³
16 kg



SAFETY SHOES > Split Leather

DELTA PLUS GOULT II SHOES

38-48

S1P

Upper: Pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black.

Made in China

CE EN 345-1

10 pairs
0.083 m³
15 kg



DELTA PLUS GARGAS II SHOES

37-48

S1P

Upper: Pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black.

Made in China

CE EN 20345

10 pcs
0.098 m³
17 kg



SAFETY SHOES > Split Leather

WK BROWN QA 80

39-46
S1P

Upper: Brown pigmented split leather.
 Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 20345

10 pcs
0.086 m³
15 kg

WK BLACK/ORANGE QA 81

39-46
S1P

Upper: Black/Orange pigmented split leather.
 Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 20345

10 pcs
0.086 m³
15 kg

SAFETY SHOES > Split Leather

WORKMAN S3 SHOES

39-46
S3, SRC

Upper: Waterproof pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU.
 Black.

Made in India

CE EN 20345

10 pcs
0.082 m³
20 kg

HECKEL STOPAC

38-47
SBP

Sole: rubber sole, exceptional grip, resistant to oils and hydrocarbons, resistant to hydrolysis, resistant to heat on contact (HRO).

Upper: grained leather, lined upper, 4 side seams. Grained leather gusset.

Toecap: metal-free POLYCAP
 Penetration-resistant mid-sole: stainless steel (for S1 P models)
 Hygienic insole: complete, non-woven, perforated.

Made in Slovakia

CE EN ISO 20345:2011

10 pcs
0.083 m³
18 kg

SAFETY SHOES > Suede Leather

WORKMAN SUEDE BROWN SHORT SHOES

39-46
S1P

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.08 m³
13 kg



WORKMAN SUEDE BROWN LONG SHOES

39-46
S1P

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.089 m³
13 kg



SAFETY SHOES > Suede Leather

WORKMAN SUEDE GREY SHORT SHOES

39-46
S1P

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.083 m³
13 kg



WORKMAN SUEDE GREY LONG SHOES

39-46
S1P

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.

Made in China

CE EN 345-1

10 pairs
0.097 m³
13 kg



SAFETY SHOES > Suede Leather

DELTA PLUS RIMINI 2 BEIGE / GREY

39-46
S1P, SRC
Upper: Suede split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU.
Made in China

CE EN 20345

10 pcs
0.082 m³
14.8 kg



DELTA PLUS DSPRIT S1P-HR0

39-46
S1P, HR0, SRC
Upper: Suede split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU.
Fibre glass toe and cavlan lining.
Made in China

CE EN 20345

5 pcs
0.053 m³
7.7 kg



SAFETY SHOES > Suede Leather

DELTA PLUS PERT II

39-46
S1P, HR0, SRC
Upper: Suede split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU.
Fibre glass toe and cavlan lining.
Made in China

CE EN 20345

5 pcs
0.049 m³
8.7 kg




DELTA PLUS AURIBEAS

39-46
S1P, HR0, SRC
Upper: Suede split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU.
Fibre glass toe and cavlan lining.
Made in China

CE EN 20345

5 pcs
0.053 m³
8.7 kg



GUM BOOTS > Rain Boots



PVC RAINBOOTS GREEN

40-46

PVC Rainboots with anti bacterial absorbent inner lining.

Made in China

CE



10 pcs
0.065 m³
19.5 kg



GUMBOOTS WITH STEEL TOE

40-46

PVC safety boots with anti-bacterial absorbent inner lining. Steel mid sole and toe cap.

Made in China

CE EN 20345



10 pcs
0.081 m³
24.5 kg



GUM BOOTS > Steel Toe & Steel Plate



GUMBOOTS WITH STEEL TOE-MID SOLE

40-46

PVC safety boots with anti-bacterial absorbent inner lining. Steel mid sole and toe cap.

Made in China

CE EN 345-1



10 pairs
0.093 m³
31 kg



PVC RAINBOOTS

40-46

PVC Rainboots with anti bacterial absorbent inner lining.

Made in China

CE

10 pairs
0.067 m³
18 kg



**P.O. Box: 103987,
Opp. Rafee Hotel, Al Burj St.
Al Tawakkal Bldg., Shop No. 12
Deira, Dubai - U.A.E.**
Tel : +971 4 2243320,
Fax : +971 4 2243307,
E-mail : alanwarj@eim.ae
: smbtrd2@gmail.com

www.smbtrd.com