

AN240CDD



ENERGY ABSORBER FALL ARRESTER WITH STRETCH DOUBLE 2-M-LANYARD + 2 AM022 + 1 AM002

Ref. AN240



Product specifications

Fall arrester with extensible energy absorber in double woven webbing (Y) with integrated crumple on the lanyard. Retracted length: 1.40 m. Stretched length: 2 m. 1 carabiner AM002. 2 hooks AM022.

Polyester.

Carabiner and hook: galvanized steel.

Weight : 2,1 kg

COLOUR

Black

SIZE

No size, 1.40 ► 2 m

Product Use - Risks



Fall



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Wind energy



Vertical movement on a permanent structure



Short vertical movement or movement

on inclined surface (less than 3 m)



Short horizontal movement (less than 3 m)



Long

movement with multi connection / disconnection



Movement on lifeline

Product's highlights & user's benefits

Energy absorber in woven strap with integrated crumple on the lanyard

Reduced resting length limits discomfort to the operator and the risk of stumbling

Protective sheath on loops to reduce wear caused by the friction of connectors



AM002

x 1



AM022

x 2

Certifications and Standards



REGULATION (EU) 2016/425

EN363 : 2018 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal protective equipment against falls from a height : Test method

EN365 : 2004 Personal protective equipment against falls from a height – General requirements for the instructions for use, maintenance, periodic examination, repair, marking and packaging.

EN355 : 2002 Personal fall protection equipment - Energy absorbers.

References

References	Bar code	COLOUR	SIZE		
AN240BDD	3295249172015	Black	No size	5	-
AN240BEE	3295249172022	Black	No size	5	-
AN240CCC	3295249172039	Black	No size	5	-
AN240CDD	3295249172046	Black	1.40 ► 2 m	5	-
AN240CEE	3295249172053	Black	No size	5	-