

EOLIEN HAR35A



FALL ARREST HARNESS WITH BELT - AUTOMATIC BUCKLES - 5 HOOKING POINTS

Ref. HAR35A_



Product specifications

Two colour harness with positioning belt. 3 fall arrester attachment points (back- front right side - front left side). 4 adjustable buckles. Positioning belt with thermoformed back closed with wide Velcro for more comfort. 180° rotation. 2 lateral anchorage points. 3 adjustable automatic buckle. Sponge back lining.

Straps: Polyester.
Belt: Sponge lining.

COLOUR
Black-Orange

SIZE
S/M/L, XL/XXL

Product Use - Risks



Fall



Agriculture / Green areas



Construction / Civil engineering



Light industry



Services / Logistics



Oil / Gas



Mining



Wind energy



Vertical movement on a permanent structure



Long vertical movement or movement on

inclined surface



Long vertical movement or movement on inclined surface for rope access work



Short vertical movement or movement on inclined surface (less than 3 m)



Long horizontal

movement on horizontal surface



Long horizontal movement on vertical structure



Short

horizontal movement (less than 3 m)



Long movement with multi connection / disconnection



Work positioning



Movement on lifeline



Restraint

Product's highlights & user's benefits



Soft padding on shoulders and thigh straps
Removable back protection

Increased comfort



Fall indicator

Easy visual verification



180° rotation

Easy rotation of the basin



2 accessory attachment holders incorporated into the belt

Anchorage carabiners, lanyards and tools



Automatic buckles

Quick and easy set-up and adjustment

Phone holder pocket

Accessible and safe phone holder

Tested at 150 kg

No problem related to the weight of the tools transported or other

Certifications and Standards



REGULATION (EU) 2016/425

EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses
150 kg: Additional special requirements



EN358 : 1999 Personal protective equipment for work positioning and prevention of falls from a height – Belts and lanyards for work positioning or restraint.
150 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal protective equipment against falls from a height : Test method

EN365 : 2004 Personal protective equipment against falls from a height – General requirements for the instructions for use, maintenance, periodic examination, repair, marking and packaging.

References

References	Bar code	COLOUR	SIZE		
HAR35AGT	3295249213312	Black-Orange	S/M/L	5	-
HAR35AXX	3295249215903	Black-Orange	XL/XXL	5	-