NITREX VE802

COTTON FLOCK NITRILE GLOVE - 33 CM

Ref. VE802

Product specifications

Nitrile with cotton flocklining. Length: 33 cm. Thickness: 0,38 mm.

Support: 100% nitrile.
Flocking: 100% cotton.

COLOUR
Green

SIZE
6/7, 7/8, 8/9, 9/10, 10/11

Product Use - Risks

BIOLOGICAL Wearing CHEMICAL

PARTICULES

Agriculture / Green areas Heavy industry Light industry

Hygiene environment

CHEM D-FINDER

Product's highlights & user's benefits

0% SILICONE LATEX

3D

Embossed structure on palm and fingers	Good grip of handled objects
Flocked inside	Absorption of perspiration for comfort

Certifications and Standards

REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)
4: Resistance to abrasion (from 1 to 4)
1: Resistance to cutting (from 1 to 5)
0: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015,
.: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

A 2 > 30 mn: Méthanol (A) CAS 67-56-1
J 6 > 480 mn: n-Heptane (J) CAS 142-85-5
K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
L 3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9
M 2 > 30 mn: Nitric acid 65% (M) CAS 7697-37-2
N 3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
O 6 > 480 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6
P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI .: BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration
.: Contact with any type of food

References

References	Bar code	COLOUR	SIZE		
VE802VE06	3295249011819	Green	6/7	120	12
VE802VE07	3295249011826	Green	7/8	120	12
VE802VE08	3295249011833	Green	8/9	120	12
VE802VE09	3295249011840	Green	9/10	120	12
VE802VE10	3295249012359	Green	10/11	120	12