

**SAFE & TOUCH VV905NO**



GLOVE 3 FINGER CUT. ARTIFICIAL LEATHER PALM - POLYESTER / ELASTHANE BACK

Ref. VV905



Product specifications

Polyester/elasthan back. Artificial leather palm. Cuff in neoprene.

Back: Polyester/ elasthan.

Palm: Polyamide / polyurethane.

Palm reinforcement: Polyurethane / polyester.

Lining : Polyester.

Cuff: Neoprene.

**COLOUR**

Black-Yellow

**SIZE**

07, 08, 09, 10, 11

## Product Use - Risks



Wearing



Construction / Civil engineering



Second work / craftman



Services / Logistics



Wind energy

## Product's highlights & user's benefits



3 cut-off fingers

Maximum precision for manipulating objects



Non-slip reinforcements

Very good grip of small items



Available only with header card

Velcro closure

Perfect adjustment  
Reduced discomfort at the wrist, during prolonged use

## Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

X: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

2: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)



2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



## References

References	Bar code	COLOUR	SIZE		
VV905NO07	3295249228675	Black-Yellow	07	60	12
VV905NO08	3295249228682	Black-Yellow	08	60	12
VV905NO09	3295249228699	Black-Yellow	09	60	12
VV905NO10	3295249228705	Black-Yellow	10	60	12
VV905NO11	3295249228712	Black-Yellow	11	60	12