


Product Data Sheet

MaxiFlex® Endurance™ with AD-APT® 42-847

Colour – Coating	Black
Colour – Liner	Grey
Design	Drivers style knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Palm thickness	1.10 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	250	250	250	250	250	250
Wrist length (mm)	90	88	86	84	80	80
Wrist width (mm)	76	78	80	84	86	88
Palm width (+/-3 mm)	87	90	95	100	104	106
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN test Results

Test	Notified Body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388: 2016 + A1: 2018	TÜV Rheinland	4131A



Product Data Sheet

MaxiFlex® Endurance™ with AD-APT® 42-847

Typical Performance Values

EN ISO 21420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	60°
Sanitized®	Yes



Special features

AD-APT®	Yes
Silicone free	No



Product Data Sheet

MaxiFlex® Endurance™ with AD-APT® 42-847

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	44	48	52	56	60	64
Gross Weight (Kg)	7.7	8.3	8.85	9.4	10	10.6
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	6.7	7.3	7.85	8.4	9	9.6

Issue date: 27.07.2020

